

ACCESSORIES

Often overlooked, proper support accessories are a critical component to an effective seating & positioning system. Comfort Company specializes in providing unique, innovative accessories to ensure effective foot, arm, & amputee support.



COMFORT FOOT SINGLE



IST - Inferior Support Thickness
L - Posterior Support Length

PRODUCT FEATURES

- Unique heel cut-out eliminates contact with heel, prevents pressure points, and reduces risk of skin breakdown.
- Optional gel pack in support base reduces pressure, shear, and heat build-up.
- Medium density, high resiliency foam construction provides maximum comfort.
- Non-skid fabric helps prevent unwanted foot migration.
- Tapered bottom accommodates flip up foot supports.
- Fits on both left and right foot.

COMFORT FOOT SINGLE

Style	W x D x L	Part Number	Gel Part Number
Standard	7 x 10 x 8	FTS	FTSG
Tall	7 x 10 x 12	FTST	FTSTG
Bariatric	10 x 10 x 8	FTSB	FTSBG

INFERIOR SUPPORT PAD (BASE ONLY)

Style	W x D	Part Number	Gel Part Number
Standard	7 x 10	FTS-BTM	FTSG-BTM
Bariatric	10 x 10	FTSB-BTM	FTSBG-BTM

Comes standard with Comfort-Tek. See Pg. 2 for details.

HARDWARE

Clamp-On Connection: Easy on, easy off connection gives users a versatile attachment.

Bolt-On Connection: Bolt-on connection works with all foot plates. Recommended for users with tone.



Style	Inferior Support Thickness (IST)
Standard	2"
W/Gel	2.5"

Style	Posterior Support Thickness
Standard	1.75"
W/Gel	1.75"

COMFORT FOOT SINGLE ELEVATING

Style	W x D x L	Part Number
Standard	7 x 10 x 8	FTSE
Tall	7 x 10 x 12	FTSTE

POSTERIOR SUPPORT PAD (TOP PORTION ONLY)

Style	W x D x L	Part Number
Standard Top Portion Only	7 x 10 x 8	FTS-TOP
Tall Top Portion Only	7 x 10 x 12	FTST-TOP
Bariatric Top Portion Only	10 x 10 x 8	FTSB-TOP
Elevating Top Portion Only	7 x 10 x 8	FTSE-TOP
Tall Elevating Top Portion Only	7 x 10 x 12	FTSTE-TOP


COMFORT FOOT DOUBLE



STANDARD



TALL



IST - Inferior Support Thickness
L - Posterior Support Length

PRODUCT FEATURES

- Unique heel cut-out eliminates contact with heel, prevents pressure points, and reduces risk of skin breakdown.
- Optional medial lower limb separator keeps feet and legs positioned properly.
- Non-skid fabric on foot support helps prevent unwanted foot migration.
- Durable securing buckle and bolt-on option comes standard with all models.
- Optional gel pack in foot support reduces pressure and heat build-up.

BOLT-ON INSTALLATION

Bolt-on installation with securing buckle allows Comfort Foot Double to swing away for patient transfers. Product can be installed with securing buckles only.

Style	Inferior Support Thickness (IST)
Standard	2"
W/Gel	2.5"

POSTERIOR SUPPORT PAD (TOP PORTION ONLY)

WC Size	W x D x L	W/Separator	W/out Separator
16"	15.5" x 10.5" x 8"	FTD-16-TOP	FTDNS-16-TOP
18"	17.5" x 10.5" x 8"	FTD-18-TOP	FTDNS-18-TOP
20"	19.5" x 10.5" x 8"	FTD-20-TOP	FTDNS-20-TOP
22"	21.5" x 10.5" x 8"	FTD-22-TOP	FTDNS-22-TOP
24"	23.5" x 10.5" x 8"	FTD-24-TOP	FTDNS-24-TOP

TALL POSTERIOR SUPPORT PAD (TOP PORTION ONLY)

WC Size	W x D x L	W/Separator	W/out Separator
16"	15.5" x 10.5" x 12.5"	FTDT-16-TOP	FTDTNS-16-TOP
18"	17.5" x 10.5" x 12.5"	FTDT-18-TOP	FTDTNS-18-TOP
20"	19.5" x 10.5" x 12.5"	FTDT-20-TOP	FTDTNS-20-TOP
22"	21.5" x 10.5" x 12.5"	FTDT-22-TOP	FTDTNS-22-TOP
24"	23.5" x 10.5" x 12.5"	FTDT-24-TOP	FTDTNS-24-TOP

INFERIOR SUPPORT PAD (BASE ONLY)

WC Size	W x D	Part Number	Gel Part Number
16"	15.5" x 10.5"	FTD-16-BTM	FTDG-16-BTM
18"	17.5" x 10.5"	FTD-18-BTM	FTDG-18-BTM
20"	19.5" x 10.5"	FTD-20-BTM	FTDG-20-BTM
22"	21.5" x 10.5"	FTD-22-BTM	FTDG-22-BTM
24"	23.5" x 10.5"	FTD-24-BTM	FTDG-24-BTM

COMFORT FOOT DOUBLE W/LEG SEPARATOR

WC Size	W x D x L	Part Number	Gel Part Number
16"	15.5" x 10.5" x 8"	FTD-16	FTDG-16
18"	17.5" x 10.5" x 8"	FTD-18	FTDG-18
20"	19.5" x 10.5" x 8"	FTD-20	FTDG-20
22"	21.5" x 10.5" x 8"	FTD-22	FTDG-22
24"	23.5" x 10.5" x 8"	FTD-24	FTDG-24

COMFORT FOOT DOUBLE W/OUT LEG SEPARATOR

WC Size	W x D x L	Part Number	Gel Part Number
16"	15.5" x 10.5" x 8"	FTDNS-16	FTDNSG-16
18"	17.5" x 10.5" x 8"	FTDNS-18	FTDNSG-18
20"	19.5" x 10.5" x 8"	FTDNS-20	FTDNSG-20
22"	21.5" x 10.5" x 8"	FTDNS-22	FTDNSG-22
24"	23.5" x 10.5" x 8"	FTDNS-24	FTDNSG-24

COMFORT FOOT DOUBLE TALL W/LEG SEPARATOR

WC Size	W x D x L	Part Number	Gel Part Number
16"	15.5" x 10.5" x 12.5"	FTDT-16	FTDTG-16
18"	17.5" x 10.5" x 12.5"	FTDT-18	FTDTG-18
20"	19.5" x 10.5" x 12.5"	FTDT-20	FTDTG-20
22"	21.5" x 10.5" x 12.5"	FTDT-22	FTDTG-22
24"	23.5" x 10.5" x 12.5"	FTDT-24	FTDTG-24

COMFORT FOOT DOUBLE TALL W/OUT LEG SEPARATOR

WC Size	W x D x L	Part Number	Gel Part Number
16"	15.5" x 10.5" x 12.5"	FTDTNS-16	FTDTNSG-16
18"	17.5" x 10.5" x 12.5"	FTDTNS-18	FTDTNSG-18
20"	19.5" x 10.5" x 12.5"	FTDTNS-20	FTDTNSG-20
22"	21.5" x 10.5" x 12.5"	FTDTNS-22	FTDTNSG-22
24"	23.5" x 10.5" x 12.5"	FTDTNS-24	FTDTNSG-24

Comes standard with Comfort-Tek. See Pg. 2 for details.

FLEXION FOOTBOX™



SINGLE FLEXION FOOTBOX™



DOUBLE FLEXION FOOTBOX™

PRODUCT FEATURES

- Single Footbox available in four sizes: 5", 6", 7", & 8" wide. Double Footbox available to fit four wheelchair sizes: 14", 16", 18", and 20" wide.
- Easy angle adjustment from 90° to 160° with a single screw.
- Lightweight, durable aluminum shell.
- After drilling mounting holes in footbox, bolt on to chair for permanent placement.
- All surfaces and edges are foam padded for added comfort.

ANGLE ADJUSTMENT

Easy angle adjustment from 90° to 160° with a single screw.



SINGLE FOOTBOX

W x L x D	Part Number
5.25" x 11" x 11"	FBS-5
6.25" x 11" x 11"	FBS-6
7.25" x 11" x 11"	FBS-7
8.25" x 11" x 11"	FBS-8

DOUBLE FOOTBOX

W x L x D	Chair Size	Part Number
12" x 11" x 11"	14"	FBD-14
14" x 11" x 11"	16"	FBD-16
16" x 11" x 11"	18"	FBD-18
18" x 11" x 11"	20"	FBD-20

Comes standard with Comfort-Tek. See Pg. 2 for details.

CALF PROTECTOR



PRODUCT FEATURES

- Provides calf support to prevent feet from dragging.
- Buckle attachment makes transfers easy.
- Available in both standard and rigid options.

CALF PROTECTOR

WC Size	W x L	Thickness	Part Number	Rigid Part Number
16"	14" x 8"	0.75"	FTDTNS-16	FTDTNSG-16
18"	16" x 8"	0.75"	FTDTNS-18	FTDTNSG-18
22"	18" x 8"	0.75"	FTDTNS-22	FTDTNSG-22
24"	20" x 8"	0.75"	FTDTNS-24	FTDTNSG-24

Comes standard with Comfort-Tek. See Pg. 2 for details.

QUICK RELEASE AMP



PRODUCT FEATURES

- Amp support may be used with any wheelchair with a solid seat pan.
- Installs onto either left or right side of solid seat pan.
- Toggle lever allows positioning at multiple angles.
- Amputee pad has adduction to help center residual limb.
- Foam construction has soft entry layer for comfort and firmer base layer for support.
- TB3 parts designed for use on Quantum Rehab Tru-Balance® 3 chairs.

QUICK RELEASE AMP HARDWARE

Fast & simple removal with the quick release assembly.



ANGLE ADJUSTMENT

Toggle lever allows positioning at multiple angles.



10" QUICK-RELEASE AMP PART NUMBERS

W x D	Thickness	Extension Kit
8" x 10"	3"	AMPKIT810
9" x 10"	3"	AMPKIT910
10" x 10"	3"	AMPKIT1010
11" x 10"	3"	AMPKIT1110
12" x 10"	3"	AMPKIT1210

14" QUICK-RELEASE AMP PART NUMBERS

W x D	Thickness	Extension Kit
8" x 14"	3"	AMPKIT814
9" x 14"	3"	AMPKIT914
10" x 14"	3"	AMPKIT1014
11" x 14"	3"	AMPKIT1114
12" x 14"	3"	AMPKIT1214

10" TB3 QUICK-RELEASE AMP PART NUMBERS

W x D	Thickness	Extension Kit
8" x 10"	3"	AMPTQR810
9" x 10"	3"	AMPTQR910
10" x 10"	3"	AMPTQR1010
11" x 10"	3"	AMPTQR1110
12" x 10"	3"	AMPTQR1210

14" TB3 QUICK-RELEASE AMP PART NUMBERS

W x D	Thickness	Extension Kit
8" x 14"	3"	AMPTQR814
9" x 14"	3"	AMPTQR914
10" x 14"	3"	AMPTQR1014
11" x 14"	3"	AMPTQR1114
12" x 14"	3"	AMPTQR1214

Comes standard with Comfort-Tek. See Pg. 2 for details.

SWING-AWAY AMP



PRODUCT FEATURES

- Designed to install on all popular wheelchairs within minutes.
- Provides patients a fully adjustable amputee support that will coincide with any wheelchair cushion.
- Allows users to be transferred in and out of a wheelchair within seconds.
- Installs onto either left or right side of wheelchair.
- Fits tubing sizes from 7/8" to 1".
- Amputee support pad has adduction to help center residual limb.

10" D SWING-AWAY AMP PART NUMBERS

W x D	Thickness	Extension Kit
8" x 10"	3"	AMPSA810
9" x 10"	3"	AMPSA910
10" x 10"	3"	AMPSA1010
11" x 10"	3"	AMPSA1110
12" x 10"	3"	AMPSA1210

14" D SWING-AWAY AMP PART NUMBERS

W x D	Thickness	Extension Kit
8" x 14"	3"	AMPSA814
9" x 14"	3"	AMPSA914
10" x 14"	3"	AMPSA1014
11" x 14"	3"	AMPSA1114
12" x 14"	3"	AMPSA1214

Comes standard with Comfort-Tek. See Pg. 2 for details.

SWING-AWAY AMP HARDWARE

U.S. Patent No. 8,231,090

Hardware allows for fast and simple swing away and removal. Swing away feature allows patients to be easily transferred in and out of a wheelchair. Pad can be easily removed from & reinstalled onto wheelchair.



ANGLE ADJUSTMENT

Toggle lever allows positioning at multiple angles. Up to 4" of height adjustment to accommodate varying seat cushion thicknesses. Pad can be adjusted 3" in depth to accommodate wheelchair depth conversion kits.



COMFORT ARM®



STANDARD ARM



LOW ARM



TALL RAIL ARM




MOLDED ARM

PRODUCT FEATURES

- Comfort Arm design provides finger support for all users.
- Comfortable straps for securing the arm can be adjusted or removed.
- Provides support for contractures and tone while also helping to prevent finger drop.
- Moldable option can be used to elevate fingers.

COMFORT ARM DIMENSIONS



D - Total Support Depth
 W1 - Total Support Width
 W2 - Effective Support Width
 T1 - Elbow Well Height
 T2 - Inferior Support Thickness

EAD HARDWARE

U.S. Patent No. 7,866,613

Allows arm support to be elevated and articulated with a quick release lever.

Arm support can be adjusted for a depth of up to 2.5" and a width of up to 4".

Hardware weighs only 1.2 lbs.



ELEVATING



ARTICULATING



DEPTH-ADJUSTABLE

INTERLOCK BRACKET

The interlock bracket locks down to 3/4" up to 1" tubing with a two-bolt connection.

Standard with fixed or swing-away hardware option.

SWING-AWAY HARDWARE

The rotating base system allows the Comfort Arm to be angularly rotated side-to-side and adjusted front to back 7".

SLIDE ON HARDWARE

Slides arm support over stock wheelchair arm pad.

TB3 HARDWARE

Arm support with track mount hardware for TB3 style chairs.

COMFORT ARM SUPPORTS

STANDARD ARM SUPPORTS						
D x W1	W2	T1	T2	Side	Model Number	
22" x 6"	4.0"	2.75"	1.5"	Right	2002R-PAD	
22" x 6"	4.0"	2.75"	1.5"	Left	2002L-PAD	
14" x 6"	4.0"	2.75"	1.5"	Right	2002R-14-PAD	
14" x 6"	4.0"	2.75"	1.5"	Left	2002L-14-PAD	
17" x 6"	4.0"	2.75"	1.5"	Right	2002R-17-PAD	
17" x 6"	4.0"	2.75"	1.5"	Left	2002L-17-PAD	

LOW ARM SUPPORTS						
D x W1	W2	T1	T2	Side	Model Number	
22" x 6"	3.0"	n/a	1.25"	Right	2004R-PAD	
22" x 6"	3.0"	n/a	1.25"	Left	2004L-PAD	
14" x 6"	3.0"	n/a	1.25"	Right	2004R-14-PAD	
14" x 6"	3.0"	n/a	1.25"	Left	2004L-14-PAD	
17" x 6"	3.0"	n/a	1.25"	Right	2004R-17-PAD	
17" x 6"	3.0"	n/a	1.25"	Left	2004L-17-PAD	

STANDARD ARM FOR TB3						
D x W1	W2	T1	T2	Side	Model Number	
22" x 6"	4.0"	2.75"	1.5"	Right	1002R-TM	
22" x 6"	4.0"	2.75"	1.5"	Left	1002L-TM	
14" x 6"	4.0"	2.75"	1.5"	Right	1002R-14-TM	
14" x 6"	4.0"	2.75"	1.5"	Left	1002L-14-TM	
17" x 6"	4.0"	2.75"	1.5"	Right	1002R-17-TM	
17" x 6"	4.0"	2.75"	1.5"	Left	1002L-17-TM	

STANDARD ARM MOLDABLE SUPPORTS						
D x W1	W2	T1	T2	Side	Model Number	
22" x 6"	4.0"	2.75"	1.5"	Right	2002R-M-PAD	
22" x 6"	4.0"	2.75"	1.5"	Left	2002L-M-PAD	

LOW ARM MOLDABLE SUPPORTS						
D x W1	W2	T1	T2	Side	Model Number	
22" x 6"	3.0"	n/a	1.25"	Right	2004R-M-PAD	
22" x 6"	3.0"	n/a	1.25"	Left	2004L-M-PAD	

Moldable Option						
D x W1	W2	T1	T2	Side	Model Number	
22" x 6"	4.0"	2.75"	1.5"	Right	1002R-M-TM	
22" x 6"	4.0"	2.75"	1.5"	Left	1002L-M-TM	

TALL RAIL ARM SUPPORTS						
D x W1	W2	T1	T2	Side	Model Number	
22" x 7"	4.0"	2.75"	1.5"	Right	2007R-PAD	
22" x 7"	4.0"	2.75"	1.5"	Left	2007L-PAD	

TALL RAIL ARM MOLDABLE SUPPORTS						
D x W1	W2	T1	T2	Side	Model Number	
22" x 7"	4.0"	2.75"	1.5"	Right	2007R-M-PAD	
22" x 7"	4.0"	2.75"	1.5"	Left	2007L-M-PAD	

COMFORT ARM HARDWARE

COMFORT ARM HARDWARE		
Hardware Type	Side	Model Number
Fixed Interlock	Right	1000R-HARD
Fixed Interlock	Left	1000L-HARD
Swing Away	Right	2000R-HARD
Swing Away	Left	2000L-HARD
EAD	Right	3000R-HARD
EAD	Left	3000L-HARD
Slide On	Right	2100R-HARD
Slide On	Left	2100L-HARD
TB3 Track Mount	N/A	ARMTM-P3-HARD

Comes standard with Comfort-Tek. See Pg. 2 for details.

MOLDED ARM

MOLDED ARM SUPPORTS		
Depth	Side	Model Number
22"	Right	2300R-PAD
22"	Left	2300L-PAD
14"	Right	2300R-14-PAD
14"	Left	2300L-14-PAD

MOLDED ARM FOR EAD HARDWARE		
Depth	Side	Model Number
22"	Right	2300PR-PAD
22"	Left	2300PL-PAD
14"	Right	2300PR-14-PAD
14"	Left	2300PL-14-PAD



CUSTOM SEATING. SIMPLIFIED.

Comfort Company's Comfort Designs program was developed to advance the industry standard when it comes to custom linear and planar seating systems. This program takes the now archaic plywood and t-nut construction and significantly improves the strength, ease of adjustability, and comfort by using more advanced proprietary technologies. These systems are designed to grow and adapt as the users' needs change.

CONTACT

P: 00353 (0)719163905

F: 00353 (0)719163918

www.lcseating.ie

ACTA-BACK®



ACTA-BACK® DEEP



ACTA-RELIEF™



ACTA-EMBRACE™



ACTA-SERIES
BACK SUPPORTS



BODILINK™ HEAD SUPPORT



LATERAL TRUNK SUPPORTS



ACTA-EMBRACE™ ATI



LATERAL THIGH SUPPORTS



ADDITIONAL ACCESSORIES & OPTIONS

- + MOLDABLE SUPPORTS
- + FOAM IN PLACE KIT
- + ISCHIAL MODIFICATIONS

- + ATI
- + COLORED PIPING
- + EMBROIDERY

- + PRIVACY FLAP
- + DIGI CAMO FABRIC
- + MILITARY BRANCH PATCH





COMPLETE SEATING SOLUTIONS

LC SEATING LTD

UNIT 1

GRANGE BUSINESS PARK

GRANGE

CO. SLIGO

IRELAND

P: 00353 (0)719163905

F: 00353 (0)719163918

www.lcseating.ie

