

Item Price -	Order no.:  -----
--------------	-------------------------

## Discovery

### Mobility base for seating shells

Article number: HR3204\_K



#### Standard equipment

- Stable steel tube construction
- Seat tilt up to 35° operated by gas compression spring
- Back inclination from 90° – 120°
- 8" caster wheels, PU
- 12" rear wheels, PU
- Different interface adapter options available
- Push handles

Max. load capacity: 110 kg/242 lbs

<input type="checkbox"/> Provide estimate only	<input type="checkbox"/> Order
<input type="checkbox"/> Attachment for custom fabrication enclosed	
Billing address/customer number	
Delivery address	
Sales person	Name  ..... Date      Signature
By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.	

Standard model	
<input type="checkbox"/>	Discovery frame width 36 cm
<input type="checkbox"/>	Discovery frame width 40 cm
<input type="checkbox"/>	Discovery frame width 45 cm
<input type="checkbox"/>	Discovery frame width 50 cm
<input type="checkbox"/>	Attention! For the combination with Leckey KIT Seat or Leckey Mygo MAX please order Discovery HR32040450!

Seat bar settings (seat depth)	
<input type="checkbox"/>	40.5 cm
<input type="checkbox"/>	43 cm
<input type="checkbox"/>	45.5 cm
<input type="checkbox"/>	48 cm


Frame accessories					
MA 51	<input type="checkbox"/>	Tip-assist, right	MA 52	<input type="checkbox"/>	Tip-assist, left
MA 55	<input type="checkbox"/>	Anti-tipper, right	MA 56	<input type="checkbox"/>	Anti-tipper, left

The number codes contained in this order form are not intended to be used as article numbers for spare parts orders. Please use the spare parts catalogue for spare parts orders.

## Information

### Interface adapter

The interface adapter represents the attachment device needed for attaching the seating shell interface to the mobility base. It does not include the seating shell interface.



MC 31 Trapezoid adapter




MC 30 Parallel adapter



MC 33 Type "Shape/Moss"



MC 34 Type "InterCo"



MC 36 Type "Dräger"



MC 32 Universal adapter



MC 37 Leckey Mygo adapter

### Seating shell interface

Normally, the seating shell interface is to be screwed to the seating shell and must be ordered separately.



MC 40 Parallel seating shell interface



MC 41 Trapezoid seating shell interface

12" rear wheels with pneumatic tyres (MG 30) can only be combined with drum brake.








The option heel strap for individual footrests (MB 72) can only be combined with the footrests MB 10 and MB 15.

The option locking device for single-panel footrest (MB 72) can only be combined with the single-panel footrest MB 03.

The steel footrest assembly (MB 30) limits the maximum weight for the seating fitting to 50 kg.

The option tray (ME 60) requires armrests.

Caster wheels		
MF 09	<input type="checkbox"/>	8" pneumatic
MF 10	<input type="checkbox"/>	8" PU
Rear wheel/rim Inclusive		
26730.004	<input type="checkbox"/>	22" Rear wheels PU (solid) - Inclusive of hub brake
26730.004	<input type="checkbox"/>	22" Rear wheels Pneumatic - Inclusive of hub brake
26730.004	<input type="checkbox"/>	24" Rear wheels PU (solid) - Inclusive of hub brake
26730.004	<input type="checkbox"/>	24" Rear wheels Pneumatic - Inclusive of hub brake
Rear wheel/rim		
MG 05	<input type="checkbox"/>	Standard
MG 80	<input type="checkbox"/>	Standard with drum brake
Rear wheel tyres		
MG 30	<input type="checkbox"/>	Pneumatic
MG 35	<input type="checkbox"/>	PU
Wheel lock option		
MH 01	<input type="checkbox"/>	Knee lever wheel lock
Back options		
MD 30	<input type="checkbox"/>	Back guide for seating shell back, universal
Push handles/push bar (height-adjustable)		
MD 51	<input type="checkbox"/>	Push handles, long
MD 60	<input type="checkbox"/>	Push bar
MD 61	<input type="checkbox"/>	Push bar; different settings possible with ratchet joints
Armrests		
ME 05	<input type="checkbox"/>	Armrest, height- and depth-adjustable
ME 09	<input type="checkbox"/>	Armrest, height- and angle-adjustable
Side panel accessories		
ME 60	<input type="checkbox"/>	Tray (requires armrests)
Interface adapter		
MC 30	<input type="checkbox"/>	Parallel adapter
MC 31	<input type="checkbox"/>	Trapezoid adapter (R82 adaption possible)
MC 32	<input type="checkbox"/>	Universal adaption (cross bars) (not available in combination with seating shell interface and footrest assemblies; maximum weight for the seating fitting = 50 kg)
MC 33	<input type="checkbox"/>	Type "Shape/Moss"
MC 36	<input type="checkbox"/>	Type "Dräger"
MC 37	<input type="checkbox"/>	Type "Leckey Mygo" (only in combination with FW = 40 cm)
MC 38	<input type="checkbox"/>	Type "Leckey Squiggles" (only in combination with FW = 36 cm)
Seating shell interface		
MC 40	<input type="checkbox"/>	Parallel adaption (only with parallel adapter MC 30)
MC 41	<input type="checkbox"/>	Trapezoid adaption, includes adapter fixture (only with MC 31)

Footrests			
MB 30	<input type="checkbox"/>		Footrest assembly steel for seat shell chassis, angle adjustable
MB 03	<input type="checkbox"/>		Single panel, angle adjustable
MB 10	<input type="checkbox"/>		Individual, angle adjustable, swing-away, 75° (aluminium)
MB 13	<input type="checkbox"/>		Individual, angle adjustable, swing-away, 75° (plastic)
MB 18	<input type="checkbox"/>		Elevating with ratchet joint, individual, abducted, angle adjustable (aluminium)
MB 25	<input type="checkbox"/>		Elevating, individual, angle adjust., till 125kg (plastic)
SB 14	<input type="checkbox"/>		Individual, angle adjust., swing-away, for short lower leg length, till 90kg (aluminium)

Footrest accessories			
MB 70	<input type="checkbox"/>	Locking device for single-panel footrest	
MB 72	<input type="checkbox"/>	Heel strap for individual footrests	

Other accessories			
MZ 93	<input type="checkbox"/>	Storage bag	

Frame colours			
016	<input type="checkbox"/>	Silver metallic	
003	<input type="checkbox"/>	Jet black RAL 9005	
009	<input type="checkbox"/>	Vinho sparkle	
010	<input type="checkbox"/>	Marine blue	
027	<input type="checkbox"/>	Shimano matte	

Once printed this document is an uncontrolled version. Always check the download centre on our website ensure you have the most up to date version of this document.