

NHS	Order no.: -----
-----	-------------------------

<input type="checkbox"/> Provide estimate only	<input type="checkbox"/> Order
--	--------------------------------

<input type="checkbox"/> Attachment for custom fabrication enclosed

Billing address/customer number

Delivery address

Sales person	Name

	Date Signature

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.

Skippi

Power wheelchair for children

Max. load capacity: 50 kg/110 lbs
Article number: 490E55=00000_K




Standard equipment

- enAble40 with the ability to control two electric options
- 6 km/h
- 28 Ah (C5) AGM batteries
- Battery charger
- 8" PU caster wheels
- Standard seat with back bag
- Seat cushion (seat cushion thickness: 30 mm)
- Telescoping side panels
- Individual telescoping footrests
- Wheel cover for drive wheels
- Drive wheels with aluminium rim, black
- Lap belt with buckle
- Electrical light for footpaths (standard equipment from 01.04.2017)

Basic data (voluntary information)

Gender _____ Indication _____

Age _____ Paying party _____



* This information will help to support user-oriented settings and product development. Ottobock guarantees the confidential and purely internal use of these data.

Mandatory information*

Body height in cm _____

Body weight in kg _____

1 Seat depth _____

2 Trunk depth _____

3 Armrest height _____

4 Armpit height _____

5 Shoulder height _____

6 Head height _____

7 Forearm length to the middle of the palm _____

8 Trunk width _____

9 Lower leg length _____

10 Seat width _____

The number codes contained in this order form are not intended to be used as article numbers for spare parts orders. Please use the spare parts catalogue for spare parts orders.

Information



EE 37 Lateral pads



EC 50 Electric seat tilt



EB 02 Individual footrests




EU 15 Attendant control



EB 05 Single-panel footrest



EB 20 Elevating footrest



ES 63 Bumper bar

Setting for standard seat	(SD 28 ... 38 cm, SW 30 ... 38 cm)											
Back angle	<input type="checkbox"/>	mechanical -9/1/11/21°	<input type="checkbox"/>	mechanical 0/10/20/30°								
Not available with electric back angle adjustment!												
Seat depth SD in cm	<input type="checkbox"/>	28	<input type="checkbox"/>	30	<input type="checkbox"/>	32	<input type="checkbox"/>	34	<input type="checkbox"/>	36	<input type="checkbox"/>	38
Seat width SW cm (30 ... 38 cm, SW 24 ... 29 cm possible with removable lateral pads)											
Lower leg length cm (15 ... 38 cm) without seat cushion											

Push handles	
ED10	<input type="checkbox"/> height adjustable, detachable

Seat tilt	
EC 51	<input type="checkbox"/> mechanical, continuous, range 20°
EC 50	<input type="checkbox"/> electrical, continuous, range 20°

Seat height adjustment	
EC57	<input type="checkbox"/> Electrical, continuous, range 20 cm / 7.9"

Back support angle recline	
ED 50	<input type="checkbox"/> electrical, continuous, range 25° (not available in combination with seating shell adapter)

Seating system accessories	
EE 30	<input type="checkbox"/> Mounting accessories for headrest
EP 65	<input type="checkbox"/> Lap belt with buckle Inclusive
EE 37	<input type="checkbox"/> Lateral pads, detachable, for side panel (pair, thickness 1.2"/3 cm, not available in combination with seating shell adapter for Mygo seating unit)
ED 11	<input type="checkbox"/> Back extension (35 cm / 13.8" - 46 cm / 18.1")

Information on head supports, lap belts and other accessories can be found in the accessory brochure

Seating system	
EC 15	<input type="checkbox"/> Trapezoid seating shell adapter (Based on standard seat Frame, without seat cushion and back upholstery) Not possible in conjunction with powered back recline
EC 47	<input type="checkbox"/> Leckey Mygo seat adapter (Based on standard seat Frame, without seat cushion, back canes, back upholstery, arm- and leg supports)
EC 48	<input type="checkbox"/> Leckey Squiggles seat adapter (Based on standard seat Frame, without seat cushion, back canes, back upholstery and leg supports)

Additional adaptations available upon request through custom fabrication!

Footrests	
EB 02	<input type="checkbox"/> Individual footrest with aluminium footplates (standard equipment, LL 23 ... 38 cm) Inclusive
EB 05	<input type="checkbox"/> Single-panel footrest with aluminium footplate (LL 23 ... 38 cm)
EB 06	<input type="checkbox"/> Footrest for short LL (LL 15 ... 22 cm)
EB 16	<input type="checkbox"/> Footrest for short lower leg length with single-panel aluminium footplate (LL 15...22 cm)
EB 20	<input type="checkbox"/> Mechanically elevating footrests (LL 15 ... 33 cm)
EB 07	<input type="checkbox"/> Without footrest Inclusive

Information on foot positioning can be found in the accessory brochure

Frame colour	
017	<input type="checkbox"/> Yellow RAL 1023 (back upholstery blue, wheel covers red) Inclusive
018	<input type="checkbox"/> Signal red RAL 3001 (back upholstery blue, wheel covers yellow) Inclusive
010	<input type="checkbox"/> Marine blue (back upholstery red, wheel covers yellow) Inclusive
016	<input type="checkbox"/> Silver metallic (back upholstery black, wheel covers black) Inclusive
037	<input type="checkbox"/> Pink RAL 4010 (back upholstery black, wheel covers black) Inclusive

Tyres			
EF 10	<input type="checkbox"/>	Puncture-proof 8" solid front swivel wheels, drive wheels 12 1/2 " pneumatic, aluminum rims black	Inclusive
EG 06	<input type="checkbox"/>	Puncture-proof drive wheels	
Battery charger			
EU 91	<input type="checkbox"/>	Battery charger (standard equipment)	Inclusive
EU 02	<input type="checkbox"/>	Battery charger without fan (low-noise)	
Control panel			
EU 85	<input type="checkbox"/>	Control panel "enable 40" with LCD and buttons for lighting	Inclusive
Control panel holder			
EU 19	<input type="checkbox"/>	control panel holder (for option Mygo seat adapter enclosed for individual assembling)	Inclusive
EU 20	<input type="checkbox"/>	swing-away in parallel control panel holder (not recommended for use with the Mygo seat)	
Control panel holder mounting side (not for mid-tray control)			
	<input type="checkbox"/>	Right	
	<input type="checkbox"/>	Left	
Activation of the drive-away lock			
	<input type="checkbox"/>	Yes	
	<input type="checkbox"/>	No	
Control unit accessories			
EU 15	<input type="checkbox"/>	Attendant control	
EU 22	<input type="checkbox"/>	Protective bow for control panel	
EU 23	<input type="checkbox"/>	Fork for tetraplegics (hand width 4-8 cm/ 1.6"-3.1")	
EU 24	<input type="checkbox"/>	Stick S80 (Joystick extension 80 mm/ 3.1")	
EU 25	<input type="checkbox"/>	Soft ball, black covered	
EU 26	<input type="checkbox"/>	Golf ball top, small (diameter 43 mm/1.7")	
General accessories			
ES 08	<input type="checkbox"/>	Electrical light for footpaths (standard equipment from 01.04.2017) (not available in combination with ES 05)	Inclusive
ES 05	<input type="checkbox"/>	LED-Lighting according to german StVZO	
ES 39	<input type="checkbox"/>	Manual horn (Kangaroo)	
ES 35	<input type="checkbox"/>	Therapy tray, swing-away (including mounting accessory, cut-out for hand control has to be custom-made)	
ES 40	<input type="checkbox"/>	Pennant	
ES 63	<input type="checkbox"/>	Bumper bar, detachable, front mount, silver	
EZ 52	<input type="checkbox"/>	Tool kit with air pump	
ES 60	<input type="checkbox"/>	Kit for transport in a car according to ISO 7176-19	Inclusive

Once printed this document is an uncontrolled version. Always check the download centre on our website ensure you have the most up to date version of this document.