

Invoice to:
Name:
Street:
Town: Postal code:
Country:
Tel: Fax:
Order date:
Purchase order:

Deliver to:
Name:
Street:
Town: Postal code:
Country:
Tel: Fax:
Marked for:

Fax: +44 (0)845 605 66 89

E-mail: orders@sunmed.co.uk

Spare Parts: <http://parts.sunrisemedical.eu>



Transportation approved (crash tested)

Maximum user weight limit 75kg

Plus additional 15kg for 3rd party seating system

Standard Features (Salsa R)	Standard Features (Salsa M)	Standard Features (Seating System)
<ul style="list-style-type: none"> Rear wheel drive base 12.5" (indoor) or 14" (outdoor) drive wheels Drive wheel suspension 60Ah batteries 4" kerb climbing ability 58cm overall width 	<ul style="list-style-type: none"> Mid wheel drive base 6 wheel independent suspension 120cm turning circle 13" drive wheel 7cm kerb climbing ability 60cm width 	<ul style="list-style-type: none"> Width, height & depth adjustable seat Angle adjustable back (-4° to 16°) Tension adj. backrest sling Flip back, angle, height & depth adj. arms Angle & depth adjustable footplates Crash tested & Approved

DRIVE BASE TYPE



Salsa R (RWD)



Salsa M (MWD)

STANDARD SEAT: FRAME / SEAT SIZE

Width Setting		Depth setting		SAL040202 : Adjustable Seating System Seat frame is fully adjustable from 30cm to 40cm (12" - 16") in width and depth. Independently adjustable in 2cm increments
SAZW30	<input type="radio"/> 30cm (12")	SAZD30	<input type="radio"/> 30cm (12")	
SAZW32	<input type="radio"/> 32cm (13")	SAZD32	<input type="radio"/> 32cm (13")	
SAZW34	<input type="radio"/> 34cm (13.5")	SAZD34	<input type="radio"/> 34cm (13.5")	
SAZW36	<input type="radio"/> 36cm (14")	SAZD36	<input type="radio"/> 36cm (14")	
SAZW38	<input type="radio"/> 38cm (15")	SAZD38	<input type="radio"/> 38cm (15")	
SAZW40	<input type="radio"/> 40cm (16")	SAZD40	<input type="radio"/> 40cm (16")	

£

STANDARD SEAT: CUSHION

SAZ020001	<input checked="" type="radio"/> Firm seat board	(standard with standard seat)
SAZ020002	<input type="radio"/> 5cm (2") standard foam cushion 30cm wide	(used for seat width 30 - 34cm)
SAZ020003	<input type="radio"/> 5cm (2") standard foam cushion 36cm wide	(used for seat width 36 - 40cm)
	<input type="checkbox"/> JAY Comfort seat and back	(Not available for seat width 40cm x seat depth 32cm or 30cm)

TILT & LIFT

SAZ020101	<input type="radio"/> Manual tilt (3° preset tilt)	(0°, 3°, 6° and 9° adjustable)
SAZ020102	<input type="checkbox"/> Powered C.O.G tilt: 0° to 30°	(for seat to floor height please refer to page 4)
SAZ020103	<input type="checkbox"/> Powered negative C.O.G tilt: -5° to 25°	(for seat to floor height please refer to page 4)
SAZ020104	<input type="checkbox"/> Powered lift & tilt: 30cm lift, 0° to 30° tilt	(for seat to floor height please refer to page 4)

BACKREST UPHOLSTERY

SAZ030001	<input type="radio"/> Tension adjustable sling backrest (41cm (16") height)	(adjustable 15" to 19")
-----------	-----------------------------------------------------------------------------	-------------------------

BACKREST RECLINE			
SAZ030002	<input type="radio"/> Mechanical fixed recline back		(-4° to 16° in 3° steps)
SAZ030003	<input type="checkbox"/> Powered recline back		(0° - 30°, 30 to 40cm depth adjustment range) (depth adjustment range)
HEADREST			
SAZ090001	<input type="checkbox"/> Curved headrest option	8" x 4.5" Pad	(mounted on rail)
ARMREST			
SAZ040001	<input checked="" type="radio"/> Flip-up, height and angle adjustable with 285 x 60mm pad		
SAZ040002	<input type="checkbox"/> Lift-off skirt guards		(26cm skirt guard)
USER POSITIONING ITEMS			
SAZ090101	<input type="checkbox"/> JAY lateral pads, pair (10 x 10cm pad size, swing-away)		(only available with JAY Comfort seat system)
SAZ090102	<input type="checkbox"/> Seat shell back attachment brackets (J3 standard assembly brackets)		
LEGRESTS & FOOTPLATES			
SAZ050001	<input type="radio"/> 90° swing-away legrest		(with aluminium footplates and calf strap, lower leg length 16 - 26cm)
SAZ050005	<input type="checkbox"/> Centre mount legrest (with calf pads & flip-up footplate)		(lower leg length 14 - 36cm - not available with negative tilt)
SAZ050002	<input type="checkbox"/> Elevating legrest		(with aluminium footplates and calf strap, lower leg length 16 - 26cm)
Legrest extension for swing-away legrests			
SAZ050003	<input type="checkbox"/> Legrest extension for 90° s/a legrests		(30, 32.5 and 35cm lower leg length, adjustable)
SAZ050004	<input type="checkbox"/> Legrest extension for manual elevating legrest		(30, 32.5 and 35cm lower leg length, adjustable)
VR2 70AH CONTROLS			
<i>Note: VR2 Controls can power two powered options via the hand control. For more than two powered options select R-net Rehab controls</i>			
SAZ110002	<input type="radio"/> VR2 remote		(c/w actuator control keys)
SAZ110003	<input type="radio"/> VR2 remote with lights & indicator and actuator keys		
SAZ110011	<input type="checkbox"/> VR2 90A heavy duty motor controller		(only selectable with 10kph motors)
	Parallel swing-away controller mount	SAZ110004	RH <input type="radio"/> <input type="radio"/> LH SAZ110005
	<input type="checkbox"/> Centre flip-up controller mount		RH <input type="checkbox"/> <input type="checkbox"/> LH (B4M Option - extended lead time)
SAZ110006	<input type="checkbox"/> VR2 dual control (mounted RH)		(For dual control, VR2 remote must be selected also)
			POA
R-net CONTROLS			
<i>Note: VR2 Controls can power two powered options via the hand control. For more than two powered options select the R-net controller</i>			
SAZ110101/02	<input type="checkbox"/> R-net LED remote		
SAZ110103	<input type="checkbox"/> R-net LCD remote		(c/w light & actuator control keys)
SAZ110104	<input type="checkbox"/> R-net OMNI		(Price includes R-Net Omni, 2 x buddy buttons and adjustable flexi arm mount)
	Parallel swing-away controller mount	SAZ110004	RH <input type="radio"/> <input type="radio"/> LH SAZ110005
	<input type="checkbox"/> Centre flip-up controller mount		RH <input type="radio"/> <input type="radio"/> LH (B4M Option - extended lead time)
SAZ110105	<input type="checkbox"/> R-net dual control (mounted RH)		(For dual control, R-net LED, LCD or Omni remote must be selected also)
SAZ090409	<input type="checkbox"/> R-net Bluetooth control module		(Compatible with Windows PC and Android systems only)
			POA
LIGHTS & INDICATORS			
SAZ090202	<input type="checkbox"/> Flip-back lights & indicators		
SAZ090203	<input type="checkbox"/> LED lights & indicators		
SAZ110007	<input type="radio"/> VR2 lighting module		(Select if VR2 controller and lights and indicators are chosen)
KERB CLIMBER			
SAZ090302	<input type="checkbox"/> Kerb climber		(RWD Only - not required on MWD base)
RWD - REAR WHEELS & CASTORS			
STANDARD REAR WHEELS & CASTORS			
SAZ070001	<input type="radio"/> 12" Pneumatic drive wheels	8" Solid castors	(58cm / 23" overall chair width)
SAZ070002	<input type="radio"/> 12" Solid drive wheels	8" Solid castors	(58cm / 23" overall chair width)
SAZ070003	<input type="radio"/> 14" Pneumatic drive wheels	9" Solid castors	(60cm / 24" overall chair width)
SAZ070004	<input type="radio"/> 14" Solid drive wheels	9" Solid castors	(60cm / 24" overall chair width)
MWD - REAR WHEELS & CASTORS			
STANDARD REAR WHEELS & CASTORS			
SAZ070102	<input type="radio"/> 13" Solid drive wheels	7" Solid castor / 6" solid rear wheel	(60cm / 24" overall chair width)
SAZ070101	<input type="radio"/> 13" Pneumatic drive wheels	7" Solid castor / 6" solid rear wheel	(60cm / 24" overall chair width)

£

MOTOR SPEEDSAZ100001 6 kph (4mph)SAZ100002 10 kph (6mph)**COLOUR****SALSA (RWD)**SAZ100101 Silver frame and black legrestsSAZ100103 Brilliant Blue frame and black legrestsSAZ100105 Brilliant Lime frame and black legrests**SALSA (MWD)**SAZ100102 Red shrouds and black legrestsSAZ100104 Yellow shrouds and black legrestsSAZ100106 Blue shrouds and black legrests**SALSA (MWD) CUSTOM COLOUR OPTION***(Built-4-Me option - 10 days additional lead time for this option)* Any Colour - Please specify RAL Code

RAL Code: _____

POA

BATTERIES

SAZ160001 ● 60Ah gel batteries (RWD)

SAZ160002 ● 55Ah gel batteries (MWD)

CHARGER

SAZ160101 ● 8A charger

ACCESSORIES

SAZ090401 ● Transportation tie down points

SAZ090402 ● Adjustable lap strap

SAZ090403 Swing-away tray table 34cm - 36cm*(Sizes lower than 34cm frame width only available via B4M option)*SAZ090404 Swing-away tray table 36cm - 40cmSAZ090406 Rear view mirrorSAZ090410 Bluetooth USB mouse receiverSAL160012 24V auxiliary battery supply*(adds additional 24V 15A fused connection into battery loom)***COMMENTS FOR SPECIAL BUILDS****built4me****Zippie Salsa - Base Price**

Option Price

£

VAT

£

Total Price

£

SALSA R: SEAT HEIGHTS AND SETTINGS

12" Drive Wheels / 8" Castor					
Available Seat Heights					
No Module	37cm	39cm	41cm	43cm Factory Setting	45cm
Tilt Module	41cm Factory Setting	43cm	N/A	N/A	N/A
Negative tilt	44.5cm Factory Setting	N/A	N/A	N/A	N/A
Lift/Tilt Module	43cm Factory Setting	N/A	N/A	N/A	N/A

13/14" Drive Wheels / 9" Castor					
Available Seat Heights					
No Module	38cm	40cm	42cm	44cm Factory Setting	46cm
Tilt Module	42cm Factory Setting	44cm	N/A	N/A	N/A
Negative tilt	44.5cm Factory Setting	N/A	N/A	N/A	N/A
Lift/Tilt Module	44cm Factory Setting	N/A	N/A	N/A	N/A

SALSA M: SEAT HEIGHTS AND SETTINGS

Available Seat Heights			
No Module	40cm	42.5cm Factory Setting	45cm
Tilt Module	42.5cm Factory Setting	45cm	47.5cm
Negative tilt	44.5cm Factory Setting	47cm	49.5cm
Lift/Tilt Module	46cm Factory Setting	48.5cm	51cm

All seat heights with tilt or lift modules measured with seat set at 0 °

Seat height for negative tilt module measured at front of seat

Seat height measured from floor to front top of firm seat board

- Submit with completed product order form
- All prices listed are net prices (No discount applies)
- Built-4-Me fax number: **+44(0)1384 42 19 75**
- Built-4-Me phone number: **+44(0)1384 42 15 21**

- Built-4-Me e-mail: built4me@sunmed.co.uk
- Parts Website: <http://parts.sunrisemedical.eu>

		£
DYNAMIC CONTROLS - SALSA M		<i>Via B4M Department</i>
SHARK CONTROLS (60A + 15A boost) <i>(Maximum two powered options - for more than 2 powered options choose DX)</i>		
<input type="checkbox"/> Shark remote with actuator keys (DK-REMD11B)		POA
Parallel swing-away controller mount	RH <input type="radio"/> <input type="radio"/> LH	
<input type="checkbox"/> Centre flip-up controller mount	RH <input type="checkbox"/> <input type="checkbox"/> LH	POA
<input type="checkbox"/> Shark remote with lights, indicators and actuator keys (DK-REMD21B)		POA
<input type="checkbox"/> Shark remote attendant only (mounted RH)	<i>(For attendant control Shark remote must be selected also)</i>	POA
<input type="checkbox"/> Shark dual control (mounted RH) - (DK-ACU)	<i>(For dual control Shark remote must be selected also)</i>	POA
DX CONTROLS		
<input type="checkbox"/> DX-REMG90 remote	<i>(Offers Jack sockets for 2 remote buttons)</i>	POA
<input type="checkbox"/> DX LED remote (DX2-REM420)		POA
<input type="checkbox"/> DX LCD colour remote (DX-REM550)	<i>(Offers Jack sockets for 3 remote buttons)</i>	POA
<input type="checkbox"/> DX Master tray remote (DX-REM41D)		POA
<input type="checkbox"/> DX Master remote (DX-REMG91) - Use with Special Control inputs	<i>(Offers Jack sockets for 3 remote buttons)</i>	POA
<input type="checkbox"/> DX Master scanner remote (DX-REMG91S)	<i>(Offers Jack sockets for 3 remote buttons)</i>	POA
Parallel swing-away controller mount	RH <input type="radio"/> <input type="radio"/> LH	
Centre flip-up controller mount	RH <input type="checkbox"/> <input type="checkbox"/> LH	POA
<input type="checkbox"/> DX attendant only (mounted RH)	<i>(For attendant control DX G90/LED/LCD remote must be selected also)</i>	POA
<input type="checkbox"/> DX dual control (mounted RH) - (DX-ACU1)	<i>(For dual control DX G90/LED/LCD remote must be selected also)</i>	POA
DX GYRO OPTIONS		
<input type="checkbox"/> DX Gyro power module upgrade and Gyro module (DX2-PMA90LG & DX2-GYRO)	<i>(Choose Remote option above)</i>	POA
DX SECONDARY (SPECIALIST) JOYSTICK OPTIONS - PROPORTIONAL		
<input type="checkbox"/> Switch-It DX Interface box (DXD)		POA
<input type="checkbox"/> Switch-It Micro Guide - requires DX interface box (DXD)		POA
<input type="checkbox"/> Switch-It Micro Pilot - requires DX interface box (DXD)		POA
<input type="checkbox"/> Switch-It proportional head control - requires DX interface box (DXD)		POA
<input type="checkbox"/> DX Proportional Micro Extremity Control - DX-RJM-MEC		POA
DX SECONDARY (SPECIALIST) JOYSTICK OPTIONS - SWITCHED		
<input type="checkbox"/> DX 4 switch module with mode (DXACC4B) - All devices below require DX-ACC4B		POA
<input type="checkbox"/> Switch-It head array (3 switch)	<i>(5 switch and other versions also available via B4M)</i>	POA
I-PORTAL		
<input type="checkbox"/> Bluetooth connector module (DJ-BTINT)	<i>(Use for Apple devices - Dashboard and charging only)</i>	POA
<input type="checkbox"/> Bluetooth connector module with accessibility (DJ-BTINT-ACC)	<i>(Use for Apple devices)</i>	POA
<input type="checkbox"/> I-Portal with HID control (DJ-BTINT-HID)	<i>(Use for PC and Android devices)</i>	POA
<input type="checkbox"/> I-Portal with HID and accessibility control (DJ-BTINT-HID-ACC)	<i>(Use for Apple, PC and Android devices)</i>	POA
I-PORTAL MOUNTING		
<input type="checkbox"/> Gooseneck with cradle - 300mm (DJ-GNKS-IPH)	<i>(Suitable for iPhone 4 only)</i>	POA
<input type="checkbox"/> Gooseneck with cradle - 450mm (DJ-GNKL-IPH)	<i>(Suitable for iPhone 4 only)</i>	POA

The options above are a selection of Dynamic Controls offerings. For further items, please contact our B4M Department

